APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date	e of filing in State Engineer's Office JUN 1 2 1980
Rett	urned to applicant for correction
Cori	rected application filed
The	applicant Altamira Farms
_st	tar Route of Battle Mountain
2	Street and No. or P.O. Box No. Nevada 89820 hereby make 5 application for permission to change the State and Zip Code No.
	State and Zip Code No. Dint of Diversion and Place of Use
	vater heretofore appropriated under Permit No. 24890, Certificate No. 7524
	(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
1.	The source of water is underground
2.	Name of stream, lake, underground, spring or other source. The amount of water to be changed 2.862 C.f.s. of 2.862
_	Second feet, acre feet. One second foot equals 448.83 gallons per minute. The water to be used foririgation and domestic
3.	Irrigation, power, mining industrial, etc. If for stock state number and kind of animals.
4.	The water heretofore used for irrigation and domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals,
	The water is to be diverted at the following point, the NW NW of Section 32. T.26N., R.43E., M.D.B.&M., or at a point from which the Northwest corner of said Section 32 bears N 45° W 141.42'. Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be
	stated.
6.	The existing point of diversion is located within the SE% NW% of Section 32. T.26N., R.43E., M.D.B.&M., or at a point from which the Northeast corner of Section 36, T.26N., R.42E., M.D.B.&M., bears N 78° 38' E
	If point of diversion is not changed, do not unswer.
7.	Proposed place of use the Et of Section 1, the Et of Section 12, all
	Describe by legal subdivisions. If for irrigation state number of acros to be irrigated. within T.25N.,R.42E., M.D.B.&M. all of Section 31, the NW% and the W% SW% of Section 32, all within T.26N.,R.43E., M.D.B.&M., 234 acres.
8.	Existing place of use the NW and the W SW of Section 32. T.26NR.43E Describe by logal subdivisions. If presently used for irrigation, state number of acres irrigated.
	M.D.B.&M., 234 acres.
	Use will be from 1st January to 31st December of each year. Month and Day Month and Day
10.	Use has been from 1st January 10 31st December of each year. Month and Day Month and Day
11.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) <u>well_pump_motor and irrigation</u> State manner in which water is to be diverted, whether by dam or other works,
	System whether through pipes, ditches, flumes, or other conduits.

				No. 41498	
		•			
	2. Estimated cost of works \$30,000.00				
13.	Estimated time require	d to construct works	2 years		
14.	Estimated time require	d to complete the applicat	tion of water to beneficia	luse 5 years	
15.	Remarks; For use other	er than irrigation or stock	watering, state number an	nd type of units to be served or annua	
	consumptive use.				
			·		
	***************************************		***************************************		
	·				
Сог	mpared jw/ja			mira Farms	
			By S/ Robert N	N. Caldwell Caldwell, R.L.S.	
			510	O Melarkey Street	
		APPROVAL	OF STATE ENG	nnemucca, Nevada 8944 INEER	
	This is to certify that	I have examined the fore	going application, and do	hereby grant the same, subject to th	
aff	te 7524, and with fected by the chan	the understanding t ge proposed herein.	hat no other right: The well shall b	d Permit 24890, Certifi- s on the source will be e equipped with a 2-inch	
affope poi fic pre pur wat lim cer tot wha	te 7524, and with fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rsuant to NRS 534. ter herein granted The total combinited to what the rtificates of approach the well covered the total duty.	the understanding t ge proposed herein. ing device must be nd accurate measure well is flowing, a source is located 030. The State ret at any and all tim ned amount of water well covered under opriation are issue t of appropriation d under the two per allowed under this	that no other right The well shall be installed in the dements must be kept valve must be instains the right to ses. The two permits is defined in said ce mits is capable of permit shall not e	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to ignated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not exceed producing.	
affope poi fic pre pur wat lim cer tot wha	te 7524, and with fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rsuant to NRS 534. ter herein granted The total combinited to what the extificates of approtal combined amount the well covered the total duty amount of water to be	the understanding t ge proposed herein. ing device must be nd accurate measure well is flowing, a source is located 030. The State ret at any and all tim ned amount of water well covered under opriation are issue t of appropriation d under the two per allowed under this changed shall be limited t	that no other right The well shall be installed in the dements must be kept valve must be installed in the description and area description area description and area description area description area description area description area description area description are description are description area description are description ar	es on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If and Permit 41504, the crificates shall not excee producing. Exceed 936 acre-feet per an be applied to beneficial use, and no	
aff ope poi fic pre pur wat lim cer tot what	te 7524, and with fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rewant to NRS 534. ter herein granted The total combinited to what the rtificates of approtal combined amount the well covered amount of water to be exceed	the understanding t ge proposed herein. ing device must be nd accurate measure well is flowing, a source is located 030. The State ret at any and all tim ned amount of water well covered under opriation are issue t of appropriation d under the two per allowed under this changed shall be limited to	that no other right The well shall be installed in the dements must be kept valve must be installed in the description and area description.	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to ignated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not exceed producing. Exceed 936 acre-feet per an be applied to beneficial use, and not, but not to exceed a	
aff ope poi fic pre pur wat lim cer tot what to co year	te 7524, and with fected by the chan ening and a measur int of diversion a cial use. If the event waste. This resuant to NRS 534. ter herein granted The total combinated to what the rtificates of approtal combined amount the well covered The total duty amount of water to be exceed.	the understanding t ge proposed herein. ing device must be nd accurate measure well is flowing, a source is located 030. The State ret at any and all tim ned amount of water well covered under opriation are issue t of appropriation d under the two per allowed under this changed shall be limited to 2.862	that no other right The well shall be installed in the dements must be kept valve must be installed in the description of the two permits is defented in said cemits is capable of permit shall not eache amount which can cubic feet per second of land irrigated f	is on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to ignated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not, but not to exceed a	
aff ope poi fic pre pur wat lim cer tot what to co yea	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rsuant to NRS 534. ter herein granted The total combinited to what the rtificates of approach the well covered the total duty amount of water to be exceed.	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all timed amount of water well covered under tof appropriation dunder the two per allowed under this changed shall be limited to 2.862 cre-feet per acre outlibegin on or before	that no other right The well shall be installed in the dements must be kept valve must be installed in the description and area description area description and area description area description and area description are description and area description are	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If and Permit 41504, the entificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not, but not to exceed a from any and/or all sources	
aff ope point fictory wat lim certot what to converte to the point wat to converte to the process of the proces	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This resuant to NRS 534. The total combinated to what the relificates of appropriate combined amount the well covered amount of water to be exceed. The total duty of 4.0 a cual construction work shoof of commencement of verticates and the well covered are a construction work shoof of commencement of verticates and the well construction work shoof of commencement of verticates and the construction work shoof of commencement of ver	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State ret at any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two per allowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before	that no other right The well shall be installed in the dements must be kept valve must be installed in the description and area description area description and area description area description and area description are description and area description are	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to ignated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not, but not to exceed a from any and/or all sources August 2, 1981 September 2, 1981	
aff ope point fictory wat lim certot what to converte to the c	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This resuant to NRS 534. The total combinated to what the retificates of appropriate combined amount the well covered amount of water to be exceed. The total duty of 4.0 a cual construction work short of commencement of rek must be prosecuted were the construction work short of commencement of rek must be prosecuted were constructed were the construction work short of commencement of rek must be prosecuted were constructed were constructe	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State ret at any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two per allowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before with reasonable diligence and the control of t	that no other right The well shall be installed in the dements must be kept valve must be installed in the description and area description area are descri	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not, but not to exceed a from any and/or all sources August 2, 1981 September 2, 1981 August 2, 1982	
aff ope point fice pur wat lim certot what to co year. Act	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rewart to NRS 534. ter herein granted The total combinated to what the rtificates of approach the well covered amount of water to be exceed	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State ret at any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two per allowed under this changed shall be limited to 2.862 cre-feet per acre of all begin on or before	that no other right The well shall be installed in the dements must be kept valve must be installed in the description of the two permits is edunder this permits is capable of permit shall not each other amount which can cubic feet per second of land irrigated for the completed on or be and the completed on the comple	is on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not be applied to beneficial use, and not put not to exceed a from any and/or all sources August 2, 1981 September 2, 1982 September 2, 1982	
aff ope point fice pur wat lim certot what to co year Act Proceed Approximately Approx	te 7524, and with fected by the chan fected by the chan fected by the chan are as a measur int of diversion a cial use. If the event waste. This rewart to NRS 534. The total combinated to what the retificates of appropriate the well covered amount of water to be exceed. The total duty of 4.0 a must be prosecuted work must be prosecuted work plication of water to beneficiation of water to beneficial water to beneficiation of water to beneficiation of water to beneficial water to beneficiation of water to beneficiation of water to beneficiation.	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State ret at any and all timed amount of water well covered under opriation are issued to fappropriation dunder the two per allowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before at shall be filed before at shall be filed before at shall be filed before afficial use shall be made on the state of the shall be filed before	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in the two permits is red under this permits is capable of permit shall not each of the amount which can cubic feet per second of land irrigated for the completed on or be demonted in said certain the amount which can be completed on or be demonstrated for the completed on or be demonstrated on or be demonstrated for the completed on or be demonstrated.	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not but not to exceed a from any and/or all sources August 2, 1981 September 2, 1982 September 2, 1982 August 2, 1983	
aff ope point fice pur wat lim certot what to compare the to compare the proof wat a proof	te 7524, and with fected by the chan fected by the chan fected by the chan are as a measur int of diversion a cial use. If the event waste. This resumt to NRS 534. The term of the total combinated to what the retificates of appropriate the well covered amount of water to be exceed. The total duty of 4.0 a must be prosecuted well construction work short of completion of work plication of water to beneficiation of water to beneficiation of the application of the application of the application of the second are to be second of the application application application application application application application ap	the understanding to ge proposed herein. ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two perallowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in the installed under the two permits is defended in said commits is capable of permit shall not each the amount which can cubic feet per second of land irrigated for the completed on or before. The two permits is demits is capable of permit shall not each the amount which can cubic feet per second of land irrigated for the completed on or before. The two permits is capable of permit shall not each the amount which can cubic feet per second of land irrigated for the completed on or before.	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If tand Permit 41504, the stificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not be applied to beneficial use, and not put not to exceed a september 2, 1981 September 2, 1981 September 2, 1982 August 2, 1983 September 2, 1983 September 2, 1983	
aff ope point operation of the control of the contr	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rewart to NRS 534. ter herein granted The total combinated to what the retificates of approach the well covered amount of water to be exceed. The total duty of a mount of commencement of right must be prosecuted well construction work short of completion of work plication of water to beneficiation of water to beneficial of the application of pin support of proof of	the understanding to ge proposed herein. Ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two perallowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before work shall be filed before water to beneficial use shall be filed before.	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in the two permits is edunder this permits is capable of permit shall not entered in said cemits is capable of permit shall not entered in the dement which can cubic feet per second for land irrigated for the dement which can be demented in the demented in the demented for the demented in the	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the retificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not but not to exceed a. Trom any and/or all sources August 2, 1981 September 2, 1982 August 2, 1982 August 2, 1983 September 2, 1983 September 2, 1983 September 2, 1983	
The to compress Man Compress Ma	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rewart to NRS 534. ter herein granted The total combinated to what the retificates of approach the well covered amount of water to be exceed. The total duty camount of water to be exceed. The total duty camount of water to be exceed. The total duty of 4.0 and the construction work should construction work should be prosecuted when the completion of work plication of water to beneficial of the application of th	the understanding to ge proposed herein. Ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two perallowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before work shall be filed before where to beneficial use shall be filed before. Eficial use shall be made on water to beneficial use shall be filed before. IN T. 1993	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in area destains the right to les. I granted under this the two permits is demits is capable of permit shall not enougher that the amount which can cubic feet per second of land irrigated for the demental feet per second of land irrigated for the completed on or before. I on or before	is on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If tand Permit 41504, the stificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not be applied to beneficial use, and not put not to exceed a september 2, 1981 September 2, 1981 September 2, 1982 August 2, 1983 September 2, 1983 September 2, 1983 September 2, 1983 WILLIAM J. NEWMAN ave hereunto set my hand and the seal of day of FEBRUARY	
aff ope point operation of the control of the contr	te 7524, and with fected by the chan fected by the chan aring and a measur int of diversion a cial use. If the event waste. This resuant to NRS 534. The term of the total combinated to what the retificates of approach the well covered around of water to be exceed. The total duty of amount of water to be exceed. The total duty of 4.0 are to be retificated to water to be exceed. The total duty of fermion of commencement of water to be retification of work filed.	the understanding to ge proposed herein. Ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two perallowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before with reasonable diligence are shall be filed before. Eficial use shall be made on water to beneficial use shall be filed before. IN T. 1993	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in area destains the right to les. I granted under this the two permits is demits is capable of permit shall not enougher that the amount which can cubic feet per second of land irrigated for the demental feet per second of land irrigated for the completed on or before. I on or before	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the retificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not but not to exceed a. Trom any and/or all sources August 2, 1981 September 2, 1982 August 2, 1982 August 2, 1983 September 2, 1983 September 2, 1983 September 2, 1983	
aff ope point operation of the control of the contr	te 7524, and with fected by the chan fected by the chan ening and a measur int of diversion a cial use. If the event waste. This rewart to NRS 534. ter herein granted The total combinated to what the retificates of approach the well covered amount of water to be exceed. The total duty camount of water to be exceed. The total duty camount of water to be exceed. The total duty camount of water to be exceed. The total duty camount of water to be exceed. The total duty camount of completion of work plication of water to be exceed. The total duty of 4.0 a camount of completion of work plication of water to be exceed. The total duty of 4.0 a camount of completion of work plication of water to be exceed. The total duty of 4.0 a camount of completion of work filed in the support of proof of the application of work filed in the filed in th	the understanding to ge proposed herein. Ing device must be not accurate measure well is flowing, a source is located 030. The State retat any and all time ned amount of water well covered under opriation are issued to fappropriation dunder the two perallowed under this changed shall be limited to 2.862. Cre-feet per acre of all begin on or before work shall be filed before work shall be filed before at shall be filed before water to beneficial use shall be filed before. The Top 3	that no other right The well shall be installed in the dements must be kept valve must be installed in the dements must be installed in the two permits is earned under this permit granted in said ce mits is capable of permit shall not earned in said ce mits is capable of permit shall not earned in the amount which can cubic feet per second of land irrigated for the demental formulated for the completed on or before. In or before. It on or before. ESTIMONY WHEREOF, I. State Engineer of Nevada, he my office, this 2nd A.D. 1981	s on the source will be be equipped with a 2-inch lischarge pipeline near the of water placed to benealled and maintained to signated by the State Engin regulate the use of the spermit and Permit 41504 capable of producing. If t and Permit 41504, the rtificates shall not excee producing. exceed 936 acre-feet per an be applied to beneficial use, and not be applied to beneficial use, and not put not to exceed a from any and/or all sources August 2, 1981 September 2, 1982 August 2, 1982 September 2, 1983 September 2, 1983 September 2, 1983 September 2, 1983 WILLIAM J. NEWMAN ave hercunto set my fiand and the seal of	

Permit Terms Continued Page 2

The total acreage allowed to be irrigated under this permit and Permits 41497, 41499, 41500, 41501, 41502, 41504, 41505, 41506, and 24417 shall not exceed 1,394.73 acres.

